# INDEX TO VOLUME 66C

January to December 1962


## A

Page

Aberration, longitudinal spherical, in extra-axial region of lenses, measurement ..... 185
Absolute measurements (electrical) ..... 137
Air drag, effect on motion of a filament struck transversely by a high-speed projectile ..... 317
*Allisy, A., J. S. Pruitt, G. Joyet, W. Pohlit, M. Tubiana, C. Zupančič,* Transfer of NBS X-ray beam calibration ..... 107
*Allred, C. M.,* A precision noise spectral density comparator ..... 323
*Almer, H. E., L. B. Macurdy, H. S. Peiser, E. A. Weck,* Weight calibration schemes for two-knife-edge direct-reading balances ..... 33
Anisotropic conducting media in situ, methods of measuring the resistivities ..... 217
Attentuation-measuring systems, method for self-calibration ..... 13

## B

*Benedict, C. M., K. B. Earnshaw,* An ultra-high speed image dissecting camera for photographing strong shock waves ..... 297
Biprism method of determining the equivalent focal length of flat field lenses ..... 313
*Blackburn, G. F., F. R. Caldwell,* Reference tables for 40 percent iridium–60 percent rhodium versus iridium thermocouples ..... 1
*Brodd, R. J., W. G. Eicke, Jr.,* Effect of vibration and shock on unsaturated standard cells ..... 85
*Burnett, H. C., R. H. Duff, H. C. Vacher,* Indentification of metallurgical reactions and their effect on the mechanical properties of 17–7 PH stainless steel ..... 113

## C

*Caldwell, F. R., G. F. Blackburn,* Reference tables for 40 percent iridium–60 percent rhodium versus iridium thermocouples ..... 1
Camera, ultra-high speed image dissecting, for photographing strong shock waves ..... 297
*Chamberlin, G. J., D. B. Judd, G. W. Haupt,* The ideal Lovibond color system ..... 121
*Chi, M., W. D. Kroll,* Stresses in a plate uniformly compressed over portions of its two opposite edges ..... 331
Coated and uncoated Inconel and types 321 and 430 stainless steel, total hemispherical emittance ..... 261
Comparator, precision noise, spectral density ..... 323
*Cones, H. N., J. H. Park,* Spark-gap flashover measurements for steeply rising voltage impulses ..... 197
Control computer preliminary logical design, "Mail Separator" ..... 271
Corrosion of steel pilings in soils ..... 223
Corrosion rates of ferrous alloys (Fe-Cr and Fe-Cr-Si) measured by polarization technique ..... 245
Cracking of low-carbon steels, studies of the stress-corrosion ..... 347
Creep of cold-drawn nickel, copper, 70 percent nickel–30 percent copper, and 30 percent nickel–70 percent copper alloys ..... 59
Cross piles of wood, experiments on the burning ..... 99

## D

D-c measurements, high-voltage, shielded resistor ..... 19
*Darling, W. R.,* Biprism method of determining the equivalent focal length of flat field lenses ..... 313
—, *F. E. Washer,* Measurement of longitudinal spherical aberration in the extra-axial region of lenses ..... 185
Detonation waves, study of, missile technique ..... 51
Dimensions and units (electrical) ..... 137
Direct-reading balances, weight calibration schemes ..... 33
*Dorsey, W. W., F. W. Ruegg,* Missile technique for the study of detonation waves ..... 51
Dual centrifuge for generating low-frequency sinusoidal accelerations ..... 357
*Duff, R. H., H. C. Burnett, H. C. Vacher,* Identification of metallurgical reactions and their effect on the mechanical properties of 17–7 PH stainless steel ..... 113

## E

*Earnshaw, K. B., C. M. Benedict,* An ultra-high speed image dissecting camera for photographing strong shock waves ..... 297
Effect of air drag on the motion of a filament struck transversely by a high-speed projectile ..... 317
Effect of vibration and shock on unsaturated standard cells ..... 85
*Eicke, W. G., Jr., R. J. Brodd,* Effect of vibration and shock on unsaturated standard cells ..... 85
Electric hygrometer elements, evaporated-film ..... 209
Electrical units, system ..... 137
Emissivities of metals in the infrared, method of measuring ..... 283
Evaporated-film electric hygrometer elements ..... 209
Experiments on the burning of cross piles of wood ..... 99

## F

Ferrous alloys (Fe-Cr and Fe-Cr-Si), corrision rates of, measured by polarization technique ..... 245
Field lenses, flat, biprism method of determining the equivalent focal length ..... 313
Fire, gypsum plasters exposed ..... 373
Furnace for thermocouple calibrations to 2,200 °C ..... 225

## G

Page

*Geller, S. B., P. A. Mantek,* Tunnel diode large-signal equivalent circuit study and the solutions of its nonlinear differential equations ..... 45
*Gross, D.,* Experiments on the burning of cross piles of wood ..... 99
Gypsum plasters exposed to fire ..... 373

## H

*Harrison, W. N., J. C. Richmond,* Total hemispherical emittance of coated and uncoated Inconel and types 321 and 430 stainless steel ..... 261
*Haupt, G. W., D. B. Judd, G. J. Chamberlin,* The ideal Lovibond color system ..... 121
*Henig, S., E. C. Palasky,* "Mail Separator" control computer preliminary logical design ..... 271
High-voltage d-c measurements, shielded resistor ..... 19
*Hilten, J. S., R. O. Smith, E. A. Willis,* A dual centrifuge for generating low-frequency sinusoidal accelerations ..... 357
History of electrical units ..... 137

## I

Ideal Lovibond color system ..... 121
Identification of metallurgical reactions and their effect on the mechanical properties of 17–7 PH stainless steel ..... 113
Impact of filament by high-speed projectile of air drag ..... 317
Inconel, coated and uncoated, total hemispherical emittance, types 321 and 430 stainless steel ..... 261
Iridium-60 percent rhodium versus iridium thermocouples, reference tables ..... 1

## J

*Jenkins, W. D., W. A. Willard,* Creep of cold-drawn nickel, copper, 70 percent nickel–30 percent copper, and 30 percent nickel–70 percent copper alloys ..... 59
*Jones, F. E.,* Evaporated-film electric hygrometer elements ..... 209
*Joyet, G., J. S. Pruitt, A. Allisy, W. Pohlit, M. C. Zupančič,* Transfer of NBS X-ray beam calibrations ..... 107
*Judd, D. B., G. J. Chamberlin, G. W. Haupt,* The ideal Lovibond color system ..... 121

## K

*Kroll, W. D., M. Chi,* Stresses in a plate uniformly compressed over portions of its two opposite edges ..... 331

## L

Lenses, longitudinal spherical aberration in extra-axial region measurement ..... 185
*Lofquist, K.,* Rotational micromanometers ..... 363
*Logan, H. L.,* Studies of the stress-corrosion cracking of low-carbon steels ..... 347
Low-frequency sinusoidal accelerations, dual centrifuge for generating ..... 357

## M

*Macurdy, L. B., H. E. Almer, H. S. Peiser, E. A. Weck,* Weight calibration schemes for two-knife-edge direct-reading balances ..... 33
"Mail Separator" control computer preliminary logical design ..... 271
*Maki, A. G., E. K. Plyler,* Method of measuring emissivities of metals in the infrared ..... 283
*Mantek, P. S., S. B. Geller,* Tunnel diode large-signal equivalent circuit study and the solutions of its nonlinear differential equations ..... 45
*McCrackin, F. L.,* Effect of air drag on the motion of a filament struck transversely by a high-speed projectile ..... 317
Measurement of longitudinal spherical aberration in the extra-axial region of lenses ..... 185
Measuring emissivities of metals in the infrared, method ..... 283
Metallurgical reactions and their effect on the mechanical properties of 17–7 PH stainless steel, identification ..... 113
Metals in the infrared, method of measuring emissivities ..... 283
Method for the self-calibration of attenuation-measuring systems ..... 13
Method of measuring emissivities in metals in the infrared ..... 283
Methods of measuring the resistivities of anisotropic conducting media in situ ..... 217
Micromanometers, rotational ..... 363
Missile technique for the study of detonation waves ..... 51
Motion of a filament struck transversely by a high-speed projectile, effect of air drag ..... 317

## N

Nickel, copper, 70 percent nickel–30 percent copper, and 30 percent nickel–70 percent copper alloys, cold-drawn ..... 59
Nonlinear differential equations, tunnel diode large-signal equivalent circuit study ..... 45

## P

*Palasky, E. C., S. Henig,* "Mail Separator" control computer preliminary logical design ..... 271
*Park, J. H.,* Special shielded resistor for high-voltage d-c measurements ..... 19
—, *H. N. Cones,* Spark-gap flashover measurements for steeply rising voltage impulses ..... 197
*Peck, R. L.,* Method of the self-calibration of attenuation-measuring systems ..... 13

Page

*Peiser, H. S., H. E. Almer, L. B. Macurdy, E. A. Weck,* Weight calibration schemes for two-knife-edge direct-reading balances 33
Plasters, gypsum, exposed to fire 373
*Plyler, E. K., A. G. Maki,* Method of measuring emissivities of metals in the infrared 283
*Pohlit, W., J. S. Pruitt, A. Allisy, G. Joyet, M. Tubiana, C. Zupančič,* Transfer of NBS X-ray beam calibrations 107
Polarization technique, corrosion rates of ferrous alloys (Fe-Cr and Fe-Cr-Si) measured 245
Precision noise spectral density comparator 323
*Pruitt, J. S., A. Allisy, G. Joyet, W. Pohlit, M. Tubiana, C. Zupančič,* Transfer of NBS X-ray beam calibrations 107

R

Rationalization (of electrical units) 137
Reference tables for 40 percent iridium-60 percent rhodium versus iridium thermocouples 1
Resistivities of anisotropic conducting media in situ, methods of measuring 217
Resistor, shielded, for high-voltage d-c measurements 19
*Richmond, J. C., W. N. Harrison,* Total hemispherical emittance of coated and uncoated Inconel and types 321 and 430 stainless steel 261
*Romanoff, M.,* Corrosion of steel pilings in soils 223
Rotational micromanometers 363
*Ruegg, F. W., W. W. Dorsey,* Missile technique for the study of detonation waves 51
*Rush, S.,* Methods of measuring the resistivities of anisotropic conducting media in situ 217
*Ryan, J. V.,* Study of gypsum plasters exposed to fire 373

S

*Schwerdtfeger, W. J.,* Corrosion rates of ferrous alloys (Fe-Cr and Fe-Cr-Si), measured by polarization technique 245
Self-calibration, attentuation-measuring systems 13
Shielded resistor for high-voltage d-c measurements 19
Shock waves, ultra-high speed image dissecting camers for photographing 297
*Silsbee, F. B.,* Systems of electrical units 137
Sinusoidal accelerations, low-frequency, a dual centrifuge for generating 357
*Smith, R. O., E. A. Willis, J. S. Hilten,* A dual centrifuge for generating low-frequency sinusoidal accelerations 357
Spark-gap flashover measurements for steeply rising voltage impulses 197
Special shielded resistor for high-voltage d-c measurements 19
Spectral density comparator, a precision noise 323
Stainless steel, identification of metallurgical reactions and their effect on the mechanical properties of 17–7 PH 113
Stainless steel, types 321 and 430, total hemispherical emittance of coated and uncoated Inconel 261
Standardization of electrical units 137
Steel pilings in soils, corrosion 223
Steels, low-carbon, studies of the stress-corrosion cracking 347
Steeply rising voltage impulses, spark-gap flashover measurements 197
Stress-corrosion, studies of, cracking of low-carbon steels 347
Stresses in a plate uniformly compressed over portions of its two opposite edges 331
Studies of the stress-corrosion cracking of low-carbon steels 347
Study of gypsum plasters exposed to fire 373
Systems of electrical units 137

T

Page

Thermocouple calibrations to 2,200 °C, furnace 255
Thermocouples, reference tables, 40 percent iridium–60 percent rhodium versus iridium 1
*Thomas, D. B.,* Furnace for thermocouple calibrations to 2,200 °C 255
Total hemispherical emittance of coated and uncoated Inconel and types 321 and 430 stainless steel 261
Transfer of NBS X-ray beam calibrations 107
Transformer capacitance bridge, voltage ratio measurements 25
*Tubiana, M., J. S. Pruitt, A. Allisy, G. Joyet, W. Pohlit, C. Zupančič,* Transfer of NBS X-ray beam calibrations 107
Tunnel diode large-signal equivalent circuit study and the solution of its nonlinear differential equations 45
Two-knife-edge direct-reading balances, weight calibration schemes 33

U

Ultra-high speed image dissecting camera for photographing strong shock waves 297
Units, systems of electrical 137
Unsaturated standard cells, effect of vibration and shock 85

V

*Vacher, H. C., H. C. Burnett, R. H. Duff,* Identification of metallurgical reactions and their effect on the mechanical properties of 17–7 PH stainless steel 113
Voltage ratio measurements with a transformer capacitance bridge 25

W

*Wasker, F. E., W. R. Darling,* Measurements of longitudinal spherical abberration in the extra-axial region of lenses 185
*Weck, E. A., H. E. Almer, L. B. Macurdy, H. S. Peiser,* Weight calibration schemes for two-knife-edge direct-reading balances 33
Weight calibration schemes for two-knife-edge direct-reading balances 33
*Willard, W. A., W. D. Jenkins,* Creep of cold-drawn nickel, copper, 70 percent nickel–30 percent copper, and 30 percent nickel–70 percent copper alloys 59
*Willis, E. A., R. O. Smith, J. S. Hilten,* A dual centrifuge for generating low-frequency sinusoidal accelerations 347

X

X-ray beam calibrations, transfer 107

Z

*Zapf, T. L.,* Voltage ratio measurements with a transformer capacitance bridge 25
*Zupančič, C., J. S. Pruitt, A. Allisy, G. Joyet, W. Pohlit, M. Tubiana,* Transfer of NBS X-ray beam calibrations 107

UNITED STATES DEPARTMENT OF COMMERCE • Luther H. Hodges, *Secretary*
NATIONAL BUREAU OF STANDARDS • A. V. Astin, *Director*

# Engineering and Instrumentation

## Section C

## JOURNAL OF RESEARCH

of the

NATIONAL BUREAU OF STANDARDS

Volume 66C—January to December 1962

Papers 66C1–81 to 66C4–113

For sale by the Superintendent of Documents, U.S. Government Printing Office
Washington 25, D.C.

*Corrections to be noted in Volume 66 of the JOURNAL OF RESEARCH of the National Bureau of Standards—C. Engineering and Instrumentation*

| Page | Column | Line | Now reads in part | Should read |
|---|---|---|---|---|
| Vol. 66C. | | | | |
| No. 1 | 3 of Cover | 6 | J. H. Parks | J. H. Park |
| 101 | Table 1 | Last of footnote | Data from | [d] Data from |
| 108 | 2 | 12 | of 22 °C | of 20 °C |
| 111 | 2 | 35 | consequently, its calibration, | consequently, its sensitivity, |
| 231 | 1 | 11 | . Chef | f. Chef |
| 349 | Table 2 | 3 | 2, 2 | 2. 2 |
| | | 4 | 17, 6 | 17. 6 |
| 358 | 2 | 1 | $s$, and $\ddot{s}$ | $\dot{s}$ and $\ddot{s}$ |
| | | 21 | $\left(p+\sqrt{p^2-1+\frac{\omega_p^2}{\omega_n^2}}\right)$ $+Be^{-\omega_n t}\left(p-\sqrt{p^2-1+\frac{\omega_p^2}{\omega_n^2}}\right)$ | $\left(p+\sqrt{p^2-1+\frac{\omega_p^2}{\omega_n^2}}\right)$ $+Be^{-\omega_n t}\left(p-\sqrt{p^2-1+\frac{\omega_p^2}{\omega_n^2}}\right)$ |
| | | 22 | $(\omega_n^2-\omega p^2-\Omega^2)$ | $(\omega_n^2-\omega_p^2-\Omega^2)$ |
| | | 3 from bottom | $(p+\sqrt{p^2-1})+Be^{-\omega_n t(p-\sqrt{p^2-1})}$ | $(p+\sqrt{p^2-1})+Be^{-\omega_n t(p-\sqrt{p^2-1})}$ |
| 359 | 2 | 22 | $p^2+\frac{\omega p^2}{\omega_n^2}<1,$ | $p^2+\frac{\omega_p^2}{\omega_n^2}<1,$ |
| | | 23 | $p^2+\frac{\omega p^2}{\omega_n^2}=1,$ | $p^2+\frac{\omega_p^2}{\omega_n^2}=1,$ |
| | | 24 | $p^2+\frac{\omega p^2}{\omega_n^2}>1,$ | $p^2+\frac{\omega_p^2}{\omega_n^2}>1,$ |
| 387 | 2 | Ref. 3 | 585 | 584 |

# CONTENTS OF VOLUME 66C


Volume 66C—No. 1—January–March 1962

Page

Reference tables for 40 percent iridium-60 percent rhodium versus iridium thermocouples. G. F. Blackburn and F. R. Caldwell ..... 1

A method for the self-calibration of attenuation-measuring systems. Robert L. Peck ..... 13

Special shielded resistor for high-voltage d-c measurements. J. H. Park ... 19

Voltage ratio measurements with a transformer capacitance bridge. Thomas L. Zapf ..... 25

Weight calibration schemes for two knife-edge direct-reading balances. H. E. Almer, L. B. Macurdy, H. S. Peiser, and E. A. Weck ..... 33

Tunnel diode large-signal equivalent circuit study and the solutions of its nonlinear differential equations. Sidney B. Geller and Paul A. Mantek ... 45

A missile technique for the study of detonation waves. Fillmer W. Ruegg and William W. Dorsey ..... 51

Creep of cold-drawn nickel, copper, 70 percent nickel-30 percent copper, and 30 percent nickel-70 percent copper alloys. William D. Jenkins and William A. Willard ..... 59

Volume 66C—No. 2—April–June 1962

Effect of vibration and shock on unsaturated standard cells. Ralph J. Brodd and Woodward G. Eicke, Jr ..... 85

Experiments on the burning of cross piles of wood. D. Gross ..... 99

Transfer of NBS X-ray beam calibrations. J. S. Pruitt, A. Allisy, G. Joyet, W. Pohlit, M. Tubiana, and C. Zupančič ..... 107

Identification of metallurgical reactions and their effect on the mechanical properties of 17–7 PH stainless steel. H. C. Burnett, R. H. Duff, and H. C. Vacher ..... 113

The ideal Lovibond color system. Deane B. Judd, G. J. Chamberlin, and Geraldine W. Haupt ..... 121

Systems of electrical units. Francis B. Silsbee ..... 137

Volume 66C—No. 3—July–September 1962

Page

Measurement of longitudinal spherical aberration in the extra-axial region of lenses. Francis E. Washer and Walter R. Darling ..... 185
Spark-gap flashover measurements for steeply rising voltage impulses. J. H. Park and H. N. Cones ..... 197
Evaporated-film electric hygrometer elements. Frank E. Jones ..... 209
Methods of measuring the resistivities of anisotropic conducting media in situ. Stanley Rush ..... 217
Corrosion of steel pilings in soils. Melvin Romanoff ..... 223
Corrosion rates of ferrous alloys (Fe-Cr and Fe-Cr-Si) measured by polarization technique. W. J. Schwerdtfeger ..... 245
A furnace for thermocouple calibrations to 2,200 °C. Douglas B. Thomas. 255
Total hemispherical emittance of coated and uncoated Inconel and types 321 and 430 stainless steel. Joseph C. Richmond and William N. Harrison. 261
"Mail Separator" control computer preliminary logical design. Seymour Henig and Ervin C. Palasky ..... 271
Method of measuring emissivities of metals in the infrared. Arthur G. Maki and Earle K. Pyler ..... 283

Volume 66C—No. 4—October–December 1962

An ultra-high speed image dissecting camera for photographing strong shock waves. Kenneth B. Earnshaw and Charles M. Benedict ..... 297
Biprism method of determining the equivalent focal length of flat field lenses. Walter R. Darling ..... 313
Effect of air drag on the motion of a filament struck transversely by a high-speed projectile. Frank L. McCrackin ..... 317
A precision noise spectral density comparator. C. M. Allred ..... 323
Stresses in a plate uniformly compressed over portions of its two opposite edges. Michael Chi and Wilhelmina D. Kroll ..... 331
Studies of the stress-corrosion cracking of low-carbon steels. Hugh L. Logan ..... 347
A dual centrifuge for generating low-frequency sinusoidal accelerations. R. O. Smith, E. A. Willis, and J. S. Hilten ..... 357
Rotational micromanometers. Karl Lofquist ..... 363
Study of gypsum plasters exposed to fire. J. V. Ryan ..... 373



U.S. GOVERNMENT PRINTING OFFICE:1963